

IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~striketrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please CANCEL claims 21-24 in accordance with the following:

1. (Cancelled)
2. (Previously Presented) A bread maker having a main body and a heating system, the main body comprising:
 - a base frame provided in the main body;
 - a main frame disposed above the base frame to form an oven compartment with a front opening, the oven compartment accommodating an oven and a kneading system to knead dough within the oven compartment; and
 - a reinforcing member mounted to the main frame to reinforce the main frame;wherein the heating system generates heat in the oven to make bread from the dough,
and
wherein the reinforcing member supports the oven by contacting a bottom of the oven.
3. (Original) The bread maker according to claim 2, wherein the reinforcing member is combined to at least one of a left, a right, or a rear side of the main frame.
4. (Original) The bread maker according to claim 2, wherein the reinforcing member supports a lower portion of the oven.
5. (Previously Presented) A bread maker having a main body and a heating system, the main body comprising:
 - a base frame provided in the main body;
 - a main frame disposed above the base frame to form an oven compartment with a front opening, the oven compartment accommodating an oven and a kneading system to knead dough within the oven compartment;
 - a reinforcing member mounted to the main frame to reinforce the main frame; and

at least one auxiliary reinforcing member mounted to the main frame spaced from the reinforcing member,

wherein the heating system generates heat in the oven to make bread from the dough.

6. (Original) The bread maker according to claim 5, wherein the auxiliary reinforcing member is disposed above the oven.

7. (Original) The bread maker according to claim 5, wherein the auxiliary reinforcing member is combined to at least one of the left, the right or the rear sides of the main frame.

8. (Original) The bread maker according to claim 2, further comprising at least one auxiliary reinforcing member mounted to the main frame spaced from the reinforcing member.

9. (Original) The bread maker according to claim 8, wherein the auxiliary reinforcing member is disposed above the oven.

10. (Original) The bread maker according to claim 8, wherein the auxiliary reinforcing member is combined to at least one of the left, the right or the rear side of the main frame.

11. (Original) The bread maker according to claim 3, further comprising at least one auxiliary reinforcing member mounted to the main frame spaced from the reinforcing member.

12. (Original) The bread maker according to claim 11, wherein the auxiliary reinforcing member is disposed above the oven.

13. (Original) The bread maker according to claim 11, wherein the auxiliary reinforcing member is combined to at least one of the left, the right or the rear side of the main frame.

14. (Previously Presented) A bread maker having a heating system, comprising:

a main frame disposed above a base frame to form an oven compartment and a component compartment, the oven compartment accommodating an oven and a kneading system to knead dough within the oven compartment;

a left frame and a right frame to form a left part and a right part of the oven compartment;

a rear frame to form the rear part of the oven compartment;

an upper bracket to form an upper portion of the oven compartment;

a control panel supporting frame to support a control panel provided in front of the component compartment; and

a reinforcing member mounted to the main frame to reinforce the main frame;

wherein the reinforcing member supports the oven by contacting a bottom of the oven,

and

wherein the heating system generates heat in the oven to make bread from dough.

15. (Original) The bread maker according to claim 14, wherein the main frame is combined with the oven via screws.

16. (Cancelled)

17. (Original) The bread maker according to claim 14, wherein the reinforcing member is shaped like a plate, and is combined to at least one of a left, a right, or a rear frame of the main frame.

18. (Original) The bread maker according to claim 14, wherein the reinforcing member and the main frame are combined by spot-welding.

19. (Original) The bread maker according to claim 14, further comprising:
at least one auxiliary reinforcing member disposed to the main frame.

20. (Original) The bread maker according to claim 19, wherein the at least one auxiliary reinforcing member is shaped like a plate.

21-24. (Cancelled)